


## **Data Sheet**



17690



Designation:	17690 101 401	
Battery Requirement:	LIR-2450 3.6V 110mAh rechargeable	
Bulb required:	3pcs Taiwanese 5mm White LED	
Luminous intensity:	10 lumens or 145 cd	
Range:	24m (calculated distance at maximum luminous intensity with an illuminance of 0.25 lux).	
Weight:	93g (with batte	ery)
Material:	PC (Polycarbonate) ABS (Acrylonitrile Butadiene Styrene) PA (Polyamide) All contact parts made of phosphor bronze with	
	plated	
Dimensions (mm):	A	130.6
	В	90.4
	С	50
<b>_</b>	Thickness:	18
Run Time: see below tab		
Features (Technical)		

Slide switch (on/off) Magnifier lens provide long beam 1 meter impact resistant Pull string for charge Solar panel for charge

Run Time: Fully charged battery Run Time: Pull (1 pull/1 second) (pull string from initial to initial red colour)

Run Time: Solar\* charge

2 hoursCrank 1 minCrank 2 min8 min10 min30 min solar charge1 hour solar charge13 min18 min

\*Sunshine brightness level is defined by VARTA

VARTA Consumer Batteries GmbH & Co. KGaA Alfred-Krupp-Str. 9, 73479 Ellwangen/Germany Subject to change without prior notice Page 1 / 1 Date of issue: 2012-12-05